

Page 1 of 1

All amounts are calculated in domestic currency.

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name											
PO34643 CAD	1	VC-DIV001	Diversified Ulbrich		12/20/2016	12/21/2016	640.0000	\$3.84	0.0000	0	\$2,459.30
	No		M304EX0.75-16F sf	Expanded Metal Flat SS	640.0000	PLOU01		\$2,459.30	0.0000	0	
			m136467								
	2		71401-45	Procurement Quality Clause	12/20/2016	12/21/2016	1.0000	PLOU01	\$0.00	0.0000	0
	No							\$0.00	0.0000	0	
			m136467								
Total Received Quantity:											641.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$2,459.33
Total Balance Due Quantity:											0.0000



Diversified Ulbrich
20 Hymus Blvd
PTE. Claire, QC H9R 1C9,
Phone: (514)694-6522 Fax : (514)694-0266
Toll Free: (800)361-5950

PACKING SLIP

Pg 1 of 1

I111678



SOLD TO: 00022279 DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ON K6A 1K7 Ph: (613) 632-5200	SHIP TO: DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ON K6A 1K7	SPECIAL INSTRUCTIONS: ***SHIP JOURNEY FREIGHT COLLECT ***
---	--	--

Sales Person	Payment Terms	Contact	Work Order	MTR	
BOB MESSETT	NET 30 DAYS	CHANTAL LAVOIE	W271536	Y	
Ship Via	Shipping Terms	Customer PO	Date Ordered	Date Required	Date Shipped
COMMON CARRIER	COLLECT	PO34643	12/14/16	12/20/16	12/20/16

Line	Description	Ordered	Back Ordered	Shipped	Unit
0001	<div>STAINLESS SHEET</div> <div>SSH 304 EXP PAPER 16F x 34" x 48" ✓</div> <div>Weight: 360 LB</div> <div>L056429; Heat: 648084; 20 PC, 360 LB;</div> <div>DIAMONDS MUST RUN ALONG THE 8 FT</div> <div>MILL TEST WITH SHIPMENT</div> <div>1 SKID</div> <div>Approx Weight: 360 LB</div>	20		20	PC

Received by: _____ Date: _____ Signature: _____

NOTICE OF SHIPMENT/
PACKING LIST

APR 26 2016



Flat Rolled Products

CERTIFICATE OF TEST

AL 6168-6 0814

CUST. ORD. NO. & DATE

P005751 03/10/16 329586 CUST. CODE
FORMS DISTRIBUTION
SOLD TO 1 SHIP TO 1 SPEC 1
DIVERSIFIED ULBRICH STAINLESS
AKA ULBRICH OF CANADA INC
98 NORFINCH DRIVE
DOWNSVIEW, ON M3N1X1
CANADA
VANDERGRIFF, PA 505244
SHIPPER NO.
13020102060000 30-036-190
DATE SHIPPED 04/19/16
INVOICE 668282

PRIME SEC.
DSO DSO
30
EXCELSIOR STEEL PROCESSING LTD
34 CARSON STREET
ONTARIO
TORONTO

GRADE AND SPECIFICATIONS

"ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE (304/304L) (AMS 5511H R2013) (AMS 5513J)
(ASTM-A-480-16) (ASTM-A-262-14 PRACTICE E) (DIN EN 10204:2005 3.1 CERTIFICATE) (EN 10028-7:2007-1.4307-2B)
(EN 10028-7:2007-1.4301-2B) (ASME-SA-240 ED 2015) (ASTM-A-240-15B)

CARRIER - M & C TRUCKING CO.

ITEM PCS DIMENSIONS W/G/L

001B 1 48./-.059/2285.

C CUST IDENTITY 304L2B16GX48XC

1 SKID

HEAT # 848084 COIL # AAB38020-A TEST # 8836013 GROSS TARE NET THEO TAG #/ CD SKID #
22100 50 22050 431604

ORDER REMARKS: EXW - EXCEPT VAT AND OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF THE BUYER
DIST: PLEASE SEND ACKNOWLEDGMENTS ATTN: ANNE DIRKSEN-CAIROLI

TYPE HEAT/TEST (WT %) --C--- --MN-- --P--- --S--- --SI--- --CR--- --NI--- --MO--- --CU--- --N---
HEAT 848084 .021 1.70 .037 .0001 .35 18.32 8.10 .48 .39 .08
TEST LOCATION BN BN BN BN BN BN BN BN BN BN

ITEM TEST NO YIELD TENSILE % ELONG CORROSION ASTM GRAIN HARDENABILITY
001B 8836013 PSI * PSI IN 2" % R/A NR 85.HRBW T PASS PASS NR

TEST LOCATION

ITEM TEST NO
001B 8836013
PASS 52406.

TEST LOCATION TC TC
PAGE 01 - CONTINUED ON PAGE 02

04/19/16 08:06:36

CONSIGNEE: Please Note-This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, use a full description made by inspection agent on waybill before signing.

WARNING: Safety Data Sheets for this product are available on our website, www.ATIProducts.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Flat Rolled Product Order Acknowledgement.
Stephen Wolf, Director, Corporate Quality Assurance

011439

014832.

NOTICE OF SHIPMENT/
PACKING LIST



Flat Rolled Products

CERTIFICATE OF TEST

AL 6159-6-0614

CUST. ORG. NO. & DATE		CUST. CODE		ACCEPTING MILL		SHIPPER NO.		PRODUCT CODE		MILL ORDER NUMBER		DATE SHIPPED	
P005751		03/10/16 329586		VANDERGRIFF, PA		505244		13020102060000		30-036-190		04/19/16	
FORMS DISTRIBUTION		REPEAT ORDER		DO RATE		GOVT CONTRACT		MILL		SHIPPING LOCATION		INVOICE	
SOLD TO		PRIME SEC.		DSO		DSO		SHIP TO		PA		668282	
1		98200-1		7219.90.0000		1124		VANDERGRIFF		PA		668282	
DIVERSIFIED ULBRICH STAINLESS		EXCELSTOR STEEL PROCESSING LTD		34 CARSON STREET		ONTARIO		TORONTO		ZIP CODE: M8W 3R9		CN	
AKA ULBRICH OF CANADA INC													
98 NORFINCH DRIVE													
DOWNSVIEW, ON M3N1X1													
CANADA													

GRADE
"ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE
CARRIER - M & C TRUCKING CO.

= ELONG AFTER FRACTURE

NR = DATA NOT REQUIRED

GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

ASTM A262 PRACTICE E BEND ANGLE IS 180 DEGREES.

THESE COMMODITIES OR TECHNOLOGY, WHEN EXPORTED FROM THE UNITED STATES, ARE IN ACCORDANCE WITH THE USA EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. U.S. LAW ALSO PROHIBITS DISPOSITION OF THESE COMMODITIES/TECHNICAL DATA TO ANY END-USER OR FOR ANY END-USE RELATED TO THE DESIGN, DEVELOPMENT, PRODUCTION, STOCKPILING, OR USE OF CHEMICAL, BIOLOGICAL, OR NUCLEAR WEAPONS, OR MISSILES, WITHOUT THE PROPER APPROVAL OF THE UNITED STATES GOVERNMENT.

T1 SENSITIZATION HEAT TREATMENT WAS PERFORMED ON LOW CARBON AND STABILIZED GRADES. T1: HEATING OF A FLAT NON-WELDED TEST PIECE AT 700C +/- 10C (1292F +/- 18F) FOR 30 MINUTES FOLLOWED BY WATER COOLING.

EN 10204:2005 - ATI FLAT ROLLED PRODUCTS IS APPROVED AS A MANUFACTURER ACCORDING TO THE PRESSURE EQUIPMENT DIRECTIVE PED 97/23/EC.

THIS CERTIFIED MATERIAL TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL. FEDERAL LAW PROHIBITS THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE AND MAY BE PUNISHABLE AS A FELONY UNDER FEDERAL LAW. ATI FRP HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, NADCAP, AND ISO/IEC 17025. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ATI FRP QUALITY MANUAL REVISION 24 DATED 10/16/2015.

CONSIGNEE: Please Note - This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING: Safety Data Sheets for this product are available on our website, www.atimaterials.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specifications as set forth in ATI Flat Rolled Products Order Acknowledgment.

Stephen Wolf, Director, Corporate Quality Assurance

Stephen Wolf

210000043

NOTICE OF SHIPMENT/
PACKING LIST



Flat Rolled Products

CERTIFICATE OF TEST

AL 6100-6-0014

CUSTOMER NO. & DATE
S 82823

SHIP TO
TO

TAPED		YES	
REWORK		YES	
PHOTO WEIRD		YES	
BROOK		YES	
LOOSE		YES	
TELESCOPIC		YES	
SPECIFICATIONS		YES	
PRODUCT		YES	

SAMPLING LOCATION		VANDERGRIFT, PA		508152	
WEIGHT		7219.35.0000		1302810200000	
SHIP TO		VANDERGRIFT		30-035-892	
PA		688480		08/25/18	

GRADE AND SPECIFICATIONS
"ATI 304L" STAINLESS STEEL SHEET COILS ANNEALED 2B FIN 3 EDGE (304/304L) (AMS 5514H R2013) (AMS 5513J)
(ASME-SA-480 ED 2015) (ASTM-A-240-15B) (ASME-SA-240 ED 2015)

ITEM PCS DIMENS SIGNATURE
HEAT # COIL # TEST # GROSS TARE NET THEO TAG #/ CD SKID #
001 1 48.-/.059/2121. 848308 AAB40185-B 8836753 20560 20560 436399 1612360
001B 1 48.-/.059/2114. 848384 AAB42159-B 8836793 20520 20520 437871 1612362
C CUST IDENTITY 304L2B.059X48-VMI 41080 41080

ORDER REMARKS: EXM - EXCEPT VAT AND OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF THE BUYER
DIST: EMAIL INVOICE TO APESAMUEL.COM VMI ITEM - DO NOT SEND ACK TO SOLD-TO, SEND TO SAMUEL SON &
CO LTD, 2360 DIXIE ROAD, MISSISSAUGA, ONTARIO, CANADA, L4Y 1Z7, ATTN: MR. TERRY CROWE

TYPE	HEAT/TEST (WT %)	-C-	-MN-	-P-	-S-	-SI-	-CR-	-NI-	-MO-	-CU-	-N-
HEAT	848308	.019	1.67	.035	.0001	.35	18.16	8.25	.36	.42	.07
TEST LOCATION		BN	BN	BN	BN	BN	BN	BN	BN	BN	BN
HEAT	848384	.022	1.68	.033	.001	.33	18.30	8.15	.43	.49	.07
TEST LOCATION		BN	BN	BN	BN	BN	BN	BN	BN	BN	BN
ITEM	TEST NO	YIELD TENSILE % ELONG									
001	8836753	PSI	%	PSI	IN 2"	% R/A	HARDNESS	BEND A 262 PR E SIZE	CORROSION ASTM GRAIN		
TEST LOCATION		TC	TC	TC	TC	TC	TC	TC	TC	TC	TC
001B	8836793	TC	TC	TC	TC	TC	TC	TC	TC	TC	TC
TEST LOCATION		TC	TC	TC	TC	TC	TC	TC	TC	TC	TC
PAGE 01 - CONTINUED ON PAGE 02											

WARNING: Please Note - This equipment was turned over to the user in first class condition, being correctly labeled, at which time the responsibility for the use of the equipment in shipment ceased. For your information, please note the equipment is not to be used for any purpose other than that for which it was designed. Any storage or use of the equipment for any other purpose is at the user's risk. The user is responsible for the safe handling and description made by transportation agent on receipt before signing.

WARNING: Safety Data Sheets for this product are available on our website, www.atiproducs.com. A thorough review of the Safety Data Sheet for the grade of material purchased should be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Flat Rolled Products' Order Acknowledgment.

Stephen Wolf
President, Canadian Quality Assurance

05/25/16 09:52:07

NOTICE OF SHIPMENT/ PACKING LIST



Flat Rolled Products

CERTIFICATE OF TEST

AL 6108-6-0814

CUST. ORDER NO. & DATE S 82825		03/30/16		SHEET CODE 788650		VANDERGRIFT, PA		SHIPPER NO. 508162		PRODUCT CODE 13020102000000		MILL ORDER NUMBER 30-036-596		DATE SHIPPED 03/25/16	
SOME DISTRIBUTION TO: 1 SHIP TO: 1		SHEET CODE 788650		VANDERGRIFT, PA		SHIPPER NO. 508162		PRODUCT CODE 13020102000000		MILL ORDER NUMBER 30-036-596		DATE SHIPPED 03/25/16			
SHEET CODE 788650		VANDERGRIFT, PA		SHIPPER NO. 508162		PRODUCT CODE 13020102000000		MILL ORDER NUMBER 30-036-596		DATE SHIPPED 03/25/16					
PRIME DSO		PRIME DSO		PRIME DSO		PRIME DSO		PRIME DSO		PRIME DSO		PRIME DSO		PRIME DSO	
30		45		30		45		30		45		30		45	
7219.35.0000		7219.35.0000		7219.35.0000		7219.35.0000		7219.35.0000		7219.35.0000		7219.35.0000		7219.35.0000	
SHIP TO		SHIP TO		SHIP TO		SHIP TO		SHIP TO		SHIP TO		SHIP TO		SHIP TO	
VANDERGRIFT		VANDERGRIFT		VANDERGRIFT		VANDERGRIFT		VANDERGRIFT		VANDERGRIFT		VANDERGRIFT		VANDERGRIFT	
PA		PA		PA		PA		PA		PA		PA		PA	
INVOICE		INVOICE		INVOICE		INVOICE		INVOICE		INVOICE		INVOICE		INVOICE	
668480		668480		668480		668480		668480		668480		668480		668480	

GRADE "ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3. EDGE
CARRIER - CUSTOMER TRUCK
* Y.S. BY 0.2% OFFSET METHOD
ELONG AT FRACTURE

MR = DATA NOT REQUIRED
GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY
EN 10204:2005 - 3.1 CERTIFICATE DOES NOT INDICATE PED APPROVAL FOR THIS MATERIAL.

THESE COMMODITIES OR TECHNOLOGY, WHEN EXPORTED FROM THE UNITED STATES, ARE IN ACCORDANCE WITH THE USA EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. U.S. LAW ALSO PROHIBITS DISPOSITION OF THESE COMMODITIES/TECHNICAL DATA TO ANY END-USER OR FOR ANY END-USE RELATED TO THE DESIGN, DEVELOPMENT, PRODUCTION, STOCKPILING, OR USE OF CHEMICAL, BIOLOGICAL, OR NUCLEAR WEAPONS, OR MISSILES, WITHOUT THE PROPER APPROVAL OF THE UNITED STATES GOVERNMENT.

THIS CERTIFIED MATERIAL TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL. FEDERAL LAW PROHIBITS THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE AND MAY BE PUNISHABLE AS A FELONY UNDER FEDERAL LAW. ATI FRP HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, MADCAP, AND ISO/IEC 17025. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ATI FRP QUALITY MANUAL REVISION 24 DATED 10/16/2015.

PAGE 02 - CONTINUED ON PAGE 03

05/25/16 09:52:07

CONSIGNEE- Please Note-This consignment was turned over to the carrier in final class condition, being correctly loaded, at which time the responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING: Safety Data Sheets for this product are available on our website. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specifications as set forth in ATI Form titled "Products Under Active Management."

Stephen Wolf
Director, Commercial Quality Assurance

1

AL 6168-6 0814

0475/SHIPREP
05/25/15

INVOICE
668480
F.A.

and specific groups) as set forth in all 1711 rounds.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304 EX 0.75-16F
DATE: 16-12-22

PO / BATCH NO.: P034643 / M136467

MATERIAL CERT REC'D: yes
QUANTITY RECEIVED: 640 39/Ft
QUANTITY INSPECTED: 640 39/Ft
QUANTITY REJECTED: 0

THICKNESS ORDERED: 16 g.
THICKNESS RECEIVED: 0.02"
SHEET SIZE ORDERED: 4x8'
SHEET SIZE RECEIVED: 4x8'

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL	(Y)	N	
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT MATERIAL	(Y)	N	ASTM 240 per attach drawing
CORRECT REF # TO LINK CERT	(Y)	N	848084
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>9</u>	SIGNED OFF BY: _____		
DATE: <u>16-12-22</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

A schematic diagram of a diamond-shaped mesh structure. The mesh is composed of interconnected diamond-shaped cells. Dimension A is indicated by a horizontal double-headed arrow at the top, representing the width of a single cell. Dimension B is indicated by a vertical double-headed arrow on the right, representing the height of a single cell. Dimension W is indicated by a diagonal line segment on the right, representing the thickness of the mesh material.

STYLE	SIZE OF DIAMOND ¹				SIZE OF STRAND				WEIGHT lb/ft ²	
	"A"		"B"		WIDTH "W"		THICK		STD	FLAT
	STD	FLAT	STD	FLAT	STD	FLAT	STD	FLAT		
1/2-18	0.48	0.48	1.20	1.24	0.085	0.100	0.050	0.040	0.73	0.70
1/2-16	0.48	0.48	1.20	1.24	0.085	0.100	0.052	0.050	0.91	0.90
3/4-18	0.90	0.90	2.00	2.10	0.100	0.118	0.050	0.040	0.47	0.46
3/4-16	0.90	0.90	2.00	2.10	0.100	0.118	0.062	0.050	0.60	0.57
3/4-13	0.90	0.90	2.00	2.10	0.100	0.118	0.094	0.070	0.91	0.88
3/4-9	0.90	0.90	2.00	2.10	0.150	0.165	0.140	0.120	2.05	1.96

RELEASED
2010-05-25
NA



PART NUMBER

M304EX	Y	YY	TT	F
SIZE			GA	

Y,YY = SIZE

TT = GAUGE THICKNESS OF METAL
F = FLATTENED (OPTIONAL)

EG. 3/4"-16F EXPANDED METAL MESH (FLATTENED) = M304EX0.75-16F

B	REFRAT DWG. ADD MILASTA SPECS. (21 AB-1), ADD TABLE & DETAIL (2N C6-1), REF NCR 09-050	CP	10.01.11
A	NEW ISSUE	DS	01.07.16
REV	DESCRIPTION	BY	DATE
DRAWN	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	DRAWING NO.	REV. B	
MFG APPR	M304EX	SHEET 1 OF 1	
APPROVED	TITLE	SCALE	
DATE	304/316 SS EXPANDED METAL MESH		NYS
COPYRIGHT © 2001 BY DART AEROSPACE LTD ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.			

COPYRIGHT © 2001 BY BART AEROSPACE LTD



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34643

Purchase Order Date 12/14/2016 2:55:47 PM

PO Print Date 12/14/2016

Page Number 1 of 2

Order From :

VC-DIV001

DIVERSIFIED ULBRICH
20 HYMUS BLV
POINTE-CLAIRE, QC H9R 1C9
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

DEC 14 2016

EMAILED

Contact Name

Vendor Phone 514 694 6522

Ship To Contact

Ship To Phone

Ship Via: Journey Freight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M304EX0.75-16F	Expanded Metal Flat SS	12/20/2016 Yes 12/20/2016		640.00 sf	\$5.16	\$3,302.40

MATERIAL: 304 /316 STAINLESS STEEL EXPANDED METAL
AS PER ASTM F1267 OR MIL-M-17194D
NOTE: DIAMOND MUST RUN ALONG THE 8 FT

as per attach drawing.

Line Total: \$3,302.40

2	71401-45	Procurement Quality Clause	12/20/2016 No 12/20/2016		1.00	\$0.00	\$0.00
---	----------	----------------------------	--------------------------------	--	------	--------	--------

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

8/16-12-21

Note:

12/14/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO34643**

Purchase Order Date 12/14/2016 2:55:47 PM

PO Print Date 12/14/2016

Page Number 2 of 2

Order From :

VC-DIV001

DIVERSIFIED ULBRICH
20 HYMUS BLV
POINTE-CLAIRE, QC H9R 1C9
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 514 694 6522

Ship To Contact

Ship To Phone

Ship Via: Journey Freight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Line Total: \$0.00

PO Total: \$3,302.40

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 12/14/2016